

P-sec Magnetization Dynamics of Vortices Probed at High Spatial Resolution



Collaboration between ALS & SSRL, FU Berlin

Sug-Bong Choe

ALS, Berkeley

Andrew Doran

Tony Young

Howard Padmore

Yves Acremann

SSRL, Stanford

J. Stöhr

T. Eimüller

SSRL, MPI Stuttgart

Andreas Bauer

FU Berlin, Germany

Funded by DOE, Office of Science & LBNL LDRD

Study of Phase Transitions in Solids





- Structural transitions.
- Electronic transitions: Magnetism, spin reorientation, ferroelectricity, charge and orbital order, superconductivity

X-rays measure the order parameter

Structural transitions
Orbital, charge order
Ferroelectricity
Magnetism
Superconductivity

Lattice structure
Electronic structure
Lattice structure, anisotropy
Magnetic moment (FM, AFM)
Superconducting gap


Magnetization & Spin Dynamics



**Field-driven magnetization
precession, domain wall motion**

Applications: hard disk / spintronics.

**Goal: Manipulate magnetization
more quickly and efficiently.**




Ultrafast phase transitions


How to Manipulate a Magnetic System?




Field pulse



Spin injection



Linac field pulse (H.C. Siegmann et al.)



Optical pulse


GaAs switch
100 ps
200 mA
20 mT

GaAs switch
~ ps
10 mA


100 fs
many T

Ti:S laser
30 fs
1 mJ

Magnetism & Soft X Rays



Elemental, chemical specificity




Sum rules

$$m_s = \frac{3}{P \cos \varphi} n_d \frac{A_{L3} + 2A_{L2}}{A_{iso}}$$



$$m_l = \frac{2}{P \cos \varphi} n_d \frac{A_{L3} - A_{L2}}{A_{iso}}$$

Quantitative, measures spin and orbital moment


X-ray magnetic circular dichroism




Highlights – Antiferromagnets/Exchange Bias



A. Scholl et al., Science 2000
F. Nolting et al., Nature 2000




Vortex Dynamics



First measurement of core dimension
in Fe/W(110) using SP-STM:

Direct Observation of Internal Spin Structure of Magnetic Vortex Cores


A. Wachowiak, J. Wiebe, M. Bode,* O. Pietzsch,
M. Morgenstern, R. Wiesendanger



18 OCTOBER 2002 VOL 298 SCIENCE www.sciencemag.org


First observation of a vortex core using AFM:
T. Shinko et al., Science 289, 930 (2000)

Kerr microscopy observes gyro mode





J.P. Park et al., PRB 67, 020403

Magnetic Configurations in μ m Patterns




20 nm CoFe




In which direction will the vortex core move?


Experimental Setup



Vortex Dynamics




Core trajectories




- Initial acceleration (anti-) parallel to field pulse!
- Followed by gyrotropic rotation.

S.B. Choe et al., Science 204, 420 (2004)



Micromagnetic Model




- Out-of-plane core magnetization induces a handedness or chirality
- Vortex core is accelerated along the field by precession


Chirality Determines Fast Dynamics




1.5 μm x 1 μm



Vortex rotate oppositely although patterns similar




Simulation shows that orientation depends on vortex chirality





Effective Field at Vortex Core



Trajectory



Micromagnetic simulation



Effective Field at vortex core: ≈ 80 mT

Field pulse: ≈ 15 mT

Estimated field (static susceptibility): ≈ 3 mT

Our Real Goals



<u>Magnetization dynamics</u>	<u>Spin dynamics</u>
Physics understood	New physics
Systems complex	Model systems
Technological impact	Scientific impact
Time scale ~100 ps	Time scale <<100 ps
Microscopy	Spectroscopy

Electron and Spin Dynamics



**Investigate spin, orbital, charge dynamics
during f-sec laser-driven phase transitions**

- Demagnetization
- Magnetization reorientation
- Ferromagnet – antiferromagnet transition
- Metal – insulator transition (charge order, orbital order → spin order)
- Ferroelectricity
- Superconductivity


X-rays directly sense order:

- spectroscopy (photoemission, absorption, dichroism)
- scattering, diffraction


Spin, Orbital Momentum & Anisotropy



Orbital momentum: $-\mu_B l$



Spin momentum: $-2\mu_B s$



- m_l and m_s are coupled by the **spin-orbit interaction**.
- m_l is coupled to the lattice by the **anisotropic crystal field**.

In an ultrafast experiment, measurement of spin and orbital momentum provides information about the **flow of angular momentum** and about the **time-dependent magneto-crystalline anisotropy (MCA)**.


Coming: Streak Camera Detection



Improve time resolution to below 1 ps using streak camera

Future: New f-sec x-ray sources:

- Optimized for spectroscopy: tunable, stable, polarization control
- High repetition rate: enables electron spectroscopy, microscopy



Tony Young, Andrew MacPhee, Donnacha
Lowney, Dana Weinstein, Jun Feng, Howard
Padmore, Ernie Glover, Jamie Natasche

Collaborators

Joachim Stöhr²
Andrew Doran¹

Howard Padmore¹

Tony Young¹
Hendrik Ohldag²

Feng Jun¹
Andreas Bauer^{1,2}
Yves Acremann²
Sug-Bong Choe¹



Squaw Valley, April 2003